



## Poster

- P 1.1 Fitting a biological system in an industrial regimen**  
Nouchka De Craene  
Millibeter, Antwerpen, Belgium
- P 1.2 The effect of phased feeding on the survival of *Hermetia illucens* (L.)**  
Adam Koks<sup>1</sup>, Ludo Smits<sup>2</sup>, Arjan Borghuis<sup>2</sup>  
<sup>1</sup> HAS University of Applied Sciences, Vlijmen, The Netherlands  
<sup>2</sup> HAS University of Applied Sciences, Den Bosch, The Netherlands
- P 1.3 Towards farming of edible Katydid and African palm weevil: a preliminary evaluation of mass rearing potential**  
Philip Nyeko<sup>1</sup>, Clement Okia<sup>2</sup>, Jean Ndimubandi<sup>3</sup>, Nalika Nusula<sup>4</sup>, Stefan Jaronski<sup>5</sup>, Heikki Roininen<sup>6</sup>  
<sup>1</sup> Makerere University, Kampala, Uganda  
<sup>2</sup> ICRAF Uganda, Kampala, Uganda  
<sup>3</sup> University of Burundi, Bujumbura, Burundi  
<sup>4</sup> Natural Chemotherapeutic Research Institute, Kampala, Uganda  
<sup>5</sup> USDA, Sidney, USA  
<sup>6</sup> University of Eastern Finland, Joensuu, Finland
- P 1.4 Optimisation of feed and egg-laying medium for *Acheta domesticus* rearing in Uganda**  
Richard Kirschbaum, Joël Cornielje  
HAS University, 's-Hertogenbosch, The Netherlands
- P 1.5 Experimental feeding study on growth performance and nutrient utilization in mealworms (*Tenebrio molitor*)**  
Brigitte Paulicks, Esther Eisen, Christiane Becker, Daniel Brugger, Wilhelm Windisch  
Technical University of Munich, Freising, Germany
- P 2.1 Caecal volatile fatty acid production of broilers fed *Tenebrio molitor* larvae meal**  
Rosa Loponte<sup>1</sup>, Stefania Marono<sup>1</sup>, Valeria Iaconisi<sup>2</sup>, Giovanni Piccolo<sup>1</sup>, Giuliana Parisi<sup>2</sup>, Fulvia Bovera<sup>1</sup>  
<sup>1</sup> University of Naples "Federico II", Naples, Italy  
<sup>2</sup> University of Florence, Florence, Italy
- P 2.2 BSF conversion of organic household waste with application as mink feed**  
C. H. Fischer<sup>1</sup>, V. Wiklicky<sup>1,2</sup>, K. Byskov<sup>3</sup>, P. Foged-Larsen<sup>3</sup>, J. Eilenberg<sup>2</sup>, L. H. L. Heckmann<sup>1</sup>  
<sup>1</sup> Danish Technological Institute, Denmark  
<sup>2</sup> Copenhagen University, Denmark  
<sup>3</sup> Copenhagen Fur, Denmark
- P 2.3 The use of larvae of the black soldier fly as a high quality and sustainable protein source in broiler feed**  
Mik Van Der Borgh<sup>1</sup>, Riet Spaepen<sup>1</sup>, Mia Eeckhout<sup>2</sup>, Liesbet De Graef<sup>2</sup>, Tom Heylen<sup>3</sup>, Bert Verbinnen<sup>3</sup>  
<sup>1</sup> University of Leuven, Geel, Belgium  
<sup>2</sup> University of Ghent, Ghent, Belgium  
<sup>3</sup> Thomas More University College, Geel, Belgium
- P 2.4 *Hermetia illucens* meal as potential protein source in diets for farmed rainbow trout (*Oncorhynchus mykiss*): preliminary results on quality meat characteristics**  
Valeria Iaconisi<sup>1</sup>, Giulia Secci<sup>1</sup>, Laura Gasco<sup>2</sup>, Giuliana Parisi<sup>1</sup>  
<sup>1</sup> University of Florence (DISPAA), Florence, Italy  
<sup>2</sup> University of Turin, Turin, Italy



## Poster

- P 2.5 The clinical case of invasion of larvae *Tenebrio molitor* (Linnaeus, 1758) in weaned piglets**  
 Kazimierz Obremski<sup>1</sup>, Tadeusz Bakula<sup>1</sup>, Mirosław Michalski<sup>2</sup>, Karol Wierzchostłowski<sup>3</sup>  
<sup>1</sup> Department of Veterinary Prevention and Feed Hygiene, Faculty of Veterinary Medicine, University of Warmia and Mazury, Olsztyn, Poland  
<sup>2</sup> Department of Parasitology and Invasive Diseases, Faculty of Veterinary Medicine, University of Warmia and Mazury, Olsztyn, Poland  
<sup>3</sup> Private Veterinary Practice, Agrobiovet, Gniezno, Poland
- P 2.6 De-oiling process of insect-larvae for new feeding stuffs**  
 Thomas Piofczyk<sup>1</sup>, Frank Pudel<sup>1</sup>, Heinrich Katz<sup>2</sup>  
<sup>1</sup> Pilot Pflanzenöltechnologie Magdeburg e.V., Magdeburg, Germany  
<sup>2</sup> HERMETIA Baruth GmbH, Baruth / Mark, Germany
- P 2.7 Physical-chemical and microbiological characterization of black soldier fly larva reared in South-East of Spain**  
 Raquel Garzón<sup>1</sup>, Cuahtemoc Marin<sup>1</sup>, Yelitza Velasques<sup>2</sup>, Berta Pastor<sup>2</sup>, Antonio Martínez<sup>1</sup>, Cristina M Rosell<sup>1</sup>, Dolores Rodrigo<sup>1</sup>  
<sup>1</sup> Instituto de Agroquímica y Tecnología de Alimentos (IATA-CSIC), Paterna, Spain  
<sup>2</sup> Bioflytech, S. Vicente del Raspeig, Spain
- P 2.8 Investigations to the production of protein rich fractions from *Locusta***  
 Christian Spangenberg<sup>1</sup>, Christian Keller<sup>2</sup>  
<sup>1</sup> Pilot Pflanzenöltechnologie Magdeburg e.V., Magdeburg, Germany  
<sup>2</sup> Reptile Food Handels- und Zucht GmbH, Aurachtal, Germany
- P 2.9 Evaluation of partly defatted insect meal from *Hermetia illucens* as a substitute for soybean meal in broiler chicken diets**  
 Susanne Velten, Carmen Neumann, Frank Liebert  
 Georg-August-University Göttingen, Göttingen, Germany
- P 3.1 Diversity of caterpillars consumed in eastern and central DR Congo**  
 Theodore Munyuli  
 National Center for Research in Natural Sciences, CRSN-Lwiro, D. S. Bukavu, Kivu, Congo
- P 3.2 Edible insect oils for food and feed - compositional and physico-chemical properties of extracted oil from mealworm and black soldier fly larvae**  
 Benedict Purschke<sup>1</sup>, Tobias Stegmann<sup>2</sup>, Matthias Schreiner<sup>3</sup>, Henry Jäger<sup>1</sup>  
<sup>1</sup> University of Natural Resources and Life Sciences, Institute of Food Technology, Wien, Austria  
<sup>2</sup> TU München, Department of Food Process Engineering and Dairy Technology, Freising, Germany  
<sup>3</sup> University of Natural Resources and Life Sciences, Institute of Food Science, Vienna, Austria
- P 3.3 Protein production and consumption as core research areas of the Leibniz Research Alliance "Sustainable Food Production and Healthy Nutrition"**  
 Manja-Christina Reuter, Reiner Brunsch, Tilman Grune, Christa Kühn  
 Leibniz Institute for Agricultural Engineering Potsdam-Bornim (ATB), Potsdam, Germany
- P 3.4 Flying SpArk – fruit fly larvae as a protein source**  
 Keren Kles, Yoram Yerushalmi, Eran Gronich  
 Flying SpArk, Ashdod, Israel
- P 3.5 Optimization of electrophoretic methods for the characterization of proteins isolated from *Locusta migratoria* and *Tenebrio molitor***  
 Anatol Schmidt, Benedict Purschke, Helene Tanzmeister, Pia Meinschmidt, Henry Jäger, Helmut Mayer  
 University of Natural Resources and Life Sciences Vienna, Vienna, Austria



## Poster

- P 3.6 Edible insects in official food control - Species identification via MALDI-TOF-MS**  
Christine Wind, Silke Helble, Ramona Diekmann  
Chemisches und Veterinäruntersuchungsamt, Freiburg, Germany
- P 3.7 Processing insects for protein and fat recovery**  
Dirk Sindermann  
GEA, Oelde Germany
- P 3.8 Heat-treatment and the lipid profile of the edible cricket, *Gryllus bimaculatus***  
Darja Dobermann, Linda Field, Louise Michaelson  
Rothamsted Research, Harpenden, United Kingdom
- P 3.9 Application avenues and value addition potential of wild sericulture**  
Jaya Prakash  
Central silk Board, Bangalore, India
- P 3.10 Microbiology of food insects – compliance of raw and processed insects with the hygiene criteria as recommended by Belgium and the Netherlands.**  
Nils Th. Grabowski, Günter Klein  
Hannover University of Veterinary Medicine, Hannover, Germany
- P 4.1 Edible insects bars acceptance by polish students**  
Joanna Bartkovicz, Agnieszka Rybowska  
Maritime University in Gdynia, Gdynia, Poland
- P 4.2 Insects in familiar food products - Responses of Finnish and German consumers**  
Jaakko Korpela, Terhi Pohjanheimo, Samuel Piha, Anu Lähteenmäki-Uutela  
Functional Foods Forum, University of Turku, Turku, Finland
- P 4.3 Developing mass rearing technology for the highly valued edible grasshopper, *Ruspolia differens* - The knowledge gaps**  
Anu Valtonen<sup>1</sup>, Geoffrey Malinga<sup>1</sup>, Philip Nyeko<sup>2</sup>, Karlmax Rutaro<sup>1</sup>, Vilma Lehtovaara<sup>1</sup>, Robert Opoke<sup>1</sup>, Heikki Roininen<sup>1</sup>  
<sup>1</sup> University of Eastern Finland, Joensuu, Finland  
<sup>2</sup> Makerere University, Kampala, Uganda
- P 4.4 Entomophagy and power**  
Andrew Müller  
Humboldt-Universität zu Berlin, Berlin, Germany
- P 4.5 Public perception of edible insects**  
Astrid Epp, Mark Lohmann, Severine Koch  
Federal Institute for Risk Assessment, Berlin, Germany
- P 4.6 Impact of nonthermal plasma and thermal processing on protein functionality, solubility, composition and structure of *Tenebrio molitor***  
Sara Bußler<sup>1</sup>, Birgit A. Rumpold<sup>1</sup>, Harshadrai M. Rawel<sup>2</sup>, Oliver K. Schlüter<sup>1</sup>  
<sup>1</sup> Leibniz Institute for Agricultural Engineering Potsdam-Bornim (ATB), Potsdam, Germany  
<sup>2</sup> University of Potsdam, Nuthetal, Germany
- P 4.7 Proximate composition and fatty acid profile of Chironomidae (Diptera) larvae collected in ponds**  
Marina Meligrana, Claudia Nalli, Paolo Melotti, Alessandra Roncarati  
University of Camerino, School of Biosciences and Veterinary Medicine, Matelica (MC), Italy
- P 5.1 Tenebrionidae can eat polystyrene**  
Tadeusz Bakuła, Kazimierz Obremski, Remigiusz Gałęcki  
University of Warmia and Mazury, Olsztyn, Poland